



200PRO Professional Chisel Flat / Pointed with Protective Rubber Grip

Salient Features

- C 45 Carbon Steel
- Hexagonal/Round Section
- Full Hardened & Tempered 46-50 HRC
- Re-sharpenable Cutting Ends
- Epoxy Powder Coated
- Available with Bi-Material Double Color Heavy Duty Protective Grip



Specifications

Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
250	14	48
250	16	48
300	14	36
300	16	36
300	18	24
350	14	36
350	16	24
350	18	16
400	16	24
400	18	16

Weight per carton will vary depending upon the size & diameter.
Available in Flat Head & Pointed Head.





GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948



amfori 
Trade with purpose

 **BSCI**
Business Social Compliance Initiative





200 Chisel Flat / Pointed with Protective Rubber Grip

Salient Features

- C 38 Carbon Steel
- Hexagonal Section
- Hardened & Tempered Ends 40 - 42 HRC
- Re-sharpenable Cutting Ends
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
150	12	120
150	14	72
150	16	60
150	18	48
200	12	120
200	14	72
200	16	60
200	18	36
250	12	72
250	14	48
250	16	48
250	18	24
250	22	24
250	25	16
300	14	36
300	16	36
300	18	24
300	22	12
300	25	12
350	14	36
350	16	24
350	18	16
350	22	12
350	25	12
400	14	24
400	16	24



GRIPWELL
FORGINGS & TOOLS
Tools for Home & Industry - Worldwide



Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
400	18	16
400	22	16
400	25	8

Weight per carton will vary depending upon the size & diameter.
Available in Flat Head & Pointed Head.



170PRO Professional Chisel Flat / Pointed

Salient Features

- C 45 Carbon Steel
- Hexagonal/Round Section
- Full Hardened & Tempered 46-50 HRC
- Re-sharpenable Cutting Ends
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
250	14	48
250	16	48
300	14	36
300	16	36
300	18	24
350	14	36
350	16	24
350	18	16
400	16	24
400	18	16

Weight per carton will vary depending upon the size & diameter.
Available in Flat Head & Pointed Head.





GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948





170 Chisel Flat / Pointed

Salient Features

- C 38 Carbon Steel
- Hexagonal Section
- Hardened & Tempered Striking Ends 40 - 42 HRC
- Re-sharpenable Cutting End (upto 25mm)
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
150	12	120
150	14	72
150	16	60
150	18	48
200	12	120
200	14	72
200	16	60
200	18	36
250	12	72
250	14	48
250	16	48
250	18	24
250	22	24
250	25	16
300	14	36
300	16	36
300	18	24
300	22	12
300	25	12
350	14	36
350	16	24
350	18	16
350	22	12
350	25	12
400	14	24
400	16	24



GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948



Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
400	18	16
400	22	16
400	25	8

Weight per carton will vary depending upon the size & diameter.
Available in Flat Head & Pointed Head.





264 Flat 'Strip' Chisel

Salient Features

- C 38 Carbon Steel
- Hardened & Tempered Striking Ends 40 - 42 HRC
- Re-sharpenable Cutting End (upto 25mm)
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Section (mm)	Packing per Carton (Pcs.)
150	6	23 x 13	48
200	8	23 x 13	48
250	10	23 x 13	46
300	12	23 x 13	24
350	15	23 x 13	16
400	16	23 x 13	16

Weight per carton will vary depending upon the size & section.
Available with or without Rubber Grip.



202 Bolster Chisel Hexagonal Shank

Salient Features

- C 38 Carbon Steel
- Hexagonal Shank
- Hardened & Tempered Striking Ends 40 - 42 HRC
- Re-sharpenable Cutting End (upto 25mm)
- Epoxy Powder Coated
- Available in Heavy Duty "Ribbed" Model



Specifications

Size (Length) (mm)	Dia (mm)	Packing per Carton (Pcs.)
60	18	36
60	22	24
60	25	24
75	18	24
75	22	16
75	25	16
100	18	16
100	22	8
100	25	8

Weight per carton will vary depending upon the size & diameter.
Available with or without Rubber Grip.





GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948



amfori 
Trade with purpose

 **BSCI**
Business Social Compliance Initiative



202FS Bolster Chisel Flat Shank

Salient Features

- C 38 Carbon Steel
- Flat Shank
- Hardened & Tempered Striking Ends 40 - 42 HRC
- Re-sharpenable Cutting End (upto 25mm)
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Section (mm)	Packing per Carton (Pcs.)
60	2.1/2	23 x 13	39
75	3	23 x 13	24
100	4	23 x 13	16

Weight per carton will vary depending upon the size & diameter.
Available with or without Rubber Grip.





417 Mason Peg



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia (mm)	Packing per Carton (Pcs.)
250	10	9	60
300	12	9	40
250	10	10	40
300	12	10	40





169 Wrecking Bar

Salient Features

- C 38 Carbon Steel
- Hexagonal Section
- Hardened & Tempered Ends 40 - 42 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia (mm)	Packing per Carton (Pcs.)
400	16	16	24
450	18	16	16
600	24	16	12
750	30	16	12
900	36	16	18
400	16	18	24
450	18	18	16
600	24	18	12
750	30	18	8
900	36	18	8

Weight per carton will vary depending upon the size & diameter



198 Professional Wrecking Bar

Salient Features

- C 45 Carbon Steel
- Hexagonal Section
- With "Eye Hole"
- Full Hardened & Tempered 44-48 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia.(mm)	Packing per Carton (Pcs.)
300	16	16	24
450	18	16	16
600	24	16	12
750	30	16	12
900	36	16	18
300	16	18	24
450	18	18	16
600	24	18	12
750	30	18	8
900	36	18	6
300	16	19	24
450	18	19	16
600	24	19	12
750	30	19	8
900	36	19	6

Weight per carton will vary depending upon the size & diameter.





199 Pry Bar

Salient Features

- C 38 Carbon Steel
- Flat Section
- With "Eye Hole"
- Hardened & Tempered Ends 40 - 42 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Packing per Carton (Pcs.)
375	15	24



265 Nail Puller



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Packing per Carton (Pcs.)
300	12	40



GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948



169G Heavy Duty “Pro-Power” Wrecking Bar

Salient Features

- C 45 Carbon Steel
- Oval Section
- Section Size 30x16mm
- Full Hardened & Tempered 44-48 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Section (mm)	Packing per Carton (Pcs.)
400	16	30 x 16	12
450	18	30 x 16	10
600	24	30 x 16	8
750	30	30 x 16	6
900	36	30 x 16	4
1000	36	30 x 16	4

Weight per carton will vary depending upon the size & diameter.



267 Tommy Bar

Salient Features

- C 38 Carbon Steel
- Hexagonal Section
- Hardened & Tempered Ends 40 - 42 HRC
- Epoxy Powder Coated
- Available in Trade Quality/Professional Series C45 Carbon Steel, Full Hardened & Tempered



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia.(mm)	Packing per Carton (Pcs.)
400	16	16	24
450	18	16	24
600	24	16	16
750	30	16	12
900	36	16	10
400	16	19	16
450	18	19	16
600	24	19	12
750	30	19	8
900	36	19	8
400	16	22	12
450	18	22	10
600	24	22	8
750	30	22	6
900	36	22	4

Weight per carton will vary depending upon the size & diameter.



201 Long Bars

Salient Features

- C 38 Carbon Steel
- Hexagonal/Round Section
- Hardened & Tempered Ends 40 - 42 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia.(mm)	Packing per Carton (Pcs.)
900	36	25	40
1200	48	25	40
1500	60	25	40
1800	70	25	40
2000	78	25	40
900	36	32	40
1200	48	32	40
1500	60	32	40
1800	70	32	30
2000	78	32	30

Packing in Wooden Pallets of optimum size not exceeding 300 Kgs.





GRIPWELL

FORGINGS & TOOLS

Tools for Home & Industry - Worldwide

ESTD.
1948




amfori 
Trade with purpose

 **BSCI**
Business Social Compliance Initiative



201FP
Crow Bar Flat &
Pointed Ends



201FP
Crow Bar Flat &
Pointed Ends

418 Splitting Wedge



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Packing per Carton (Pcs.)
200	8	16
250	10	8





199 JPB Jumbo Pry Bar (Straight & Bent) with Plastic Handle


Salient Features

- PVC "Comfort Grip" Handle with Steel Cap (For Hammering)
- Drop Forged C38 Carbon Steel Square Shank
- Full Hardened & Tempered
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia (mm)	Packing per Carton (Pcs.)	Gross Weight (Kgs.)
700	28	16	10	16
800	32	16	8	15
900	36	16	8	17
1050	42	16	6	15





199 RB Heavy Duty Ripping Bar with Plastic Handle

Salient Features

- PVC "Comfort Grip" Handle with Steel Cap (For Hammering)
- Drop Forged C38 Carbon Steel Square Shank
- Full Hardened & Tempered
- Integrated Nail Puller (Eye Hole)
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Dia (mm)	Packing per Carton (Pcs.)	Gross Weight (Kgs.)
760	30	19	8	17



197 Tyre Lever

Salient Features

- C38 Carbon Steel
- Hardened & Tempered 38 - 42 HRC
- Epoxy Powder Coated



Specifications

Size (Length) (mm)	Size (Length) (Inch)	Weight/pc. (Kgs)	Packing per Carton (Pcs.)	Gross Weight (Kgs.)
300	12	390	40	17
400	16	535	30	17
450	18	615	24	16
500	20	680	24	17
600	24	820	20	17





GRIPWELL
FORGINGS & TOOLS
Tools for Home & Industry - Worldwide



199PB-DC Pry Bar with Handle

Salient Features

- PVC "Screw Driver" Handle for better grip
- Drop Forged C38 Carbon Steel Square Shank
- Full Hardened & Tempered
- Epoxy Powder Coated



Specifications

Set of 4 Pcs.

- 200 x 6 mm
- 300 x 8 mm
- 450 x 12 mm
- 600 x 12 mm

Available with Single Color PVC Handle (199PB) and Bi-Material Double Color Handle (199PB-DC)



104 - 152 Chisel Grips



Specifications

Grip Reference	Item	Material	Color
104	Round (Light) PVC Grip	Virgin PVC	Any Pantone Color
114	Finger Type PVC Grip	Semi Virgin PVC	Any Pantone Color
118	Finger Type Heavy PVC Grip	Semi Virgin PVC	Any Pantone Color
124	Square Heavy PVC Grip	Virgin PVC	Any Pantone Color
127	Round Heavy PVC Grip	Semi Virgin PVC	Any Pantone Color
128	Round Heavy PVC Grip	Virgin PVC	Any Pantone Color
130	Round Heavy PVC Grip	Semi Virgin PVC	Any Pantone Color
140	Hexagonal Heavy PVC Grip	Virgin PVC	Any Pantone Color
150K	Bi-Material Heavy Duty Grip	Coly-Propylene (CP/TPR)	Any Pantone Color
151FD	Bi-Material Heavy Duty Grip	Coly-Propylene (CP/TPR)	Any Pantone Color
152	Bi-Material Heavy Duty Grip	Coly-Propylene (CP/TPR)	Any Pantone Color



104
Round (Light)
PVC Grip



114
Finger Type
PVC Grip



118
Finger Type
Heavy PVC Grip



124
Square
Heavy PVC Grip



GRIPWELL
FORGINGS & TOOLS
Tools for Home & Industry - Worldwide

ESTD.
1948 



amfori 
Trade with purpose

 **BSCI**
Business Social Compliance Initiative



127
Round
Heavy PVC Grip



128
Round
Heavy PVC Grip



130
Round
Heavy PVC Grip



140
Hexagonal
Heavy PVC Grip





142 Sledge Hammer

Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Available with Fibre Glass Handle Rubber Grip AND Ashwood Handle



Specifications

Size (gms.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
1000	24	30
1200	16	24
1500	8	15
2000	8	19
3000	4	15





143 Club Hammer


Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Available with Fibre Glass Handle Rubber Grip AND Ashwood Handle



Specifications

Size (gms.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
800	24	22
1000	24	30
1200	16	24
1500	16	29
2000	12	29
3000	8	28





138 Claw Hammer Steel Shaft (With Rubber Grip)

Salient Features

- Drop Forged C38 Carbon Steel Head
- Chrome Plated Tubular Steel Handle with Rubber Grip
- Full Hardened & Tempered Head
- Machined & Polished Striking Surfaces



Specifications

Size (gms.)	Size (Lbs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
225	1/2	48	19
450	1	20	16
675	1.1/2	24	29



137 Claw Hammer

Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Ashwood Handle



Specifications

Size (gms.)	Size (Lbs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
450	1	20	16

136 Cross Pein Hammer

Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Ashwood Handle



Specifications

Size (gms.)	Size (Lbs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
110	1/4	120	16
225	1/2	60	17
335	3/4	48	22
450	1	36	20
675	1.1/2	36	28
900	2	24	26
1350	3	16	24

134 Ball Pein Hammer

Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Ashwood Handle



Specifications

Size (gms.)	Size (Lbs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
110	1/4	120	16
225	1/2	60	17
335	3/4	48	22
450	1	36	20
675	1.1/2	36	28
900	2	24	26
1350	3	16	24



147 Machinist Hammer

Salient Features

- Drop Forged C38 Carbon Steel Head
- Full Hardened & Tempered
- Machined & Polished Striking Surfaces
- Ashwood Handle



Specifications

Size (gms.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	120	18
200	80	22
300	60	24
400	40	21
500	36	25
800	24	24
1000	20	24