



GRIPWELL
FORGINGS & TOOLS
Tools for Home & Industry - Worldwide




ESTD.
1948



104 Model C1, All Steel Double Ribbed Bench Vice


Salient Features

- Steel Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel,
- Interchangeable & Replaceable Jaws
- Each Vice adaptable from Fixed Base to Swivel Base
- Swivel Base Kit supplied separately
- Precision ground slide-ways for smooth operation
- Robust design and construction
- Conforms to (DIN) PA 80-3.5.2/03.07



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.) (Fixed Base)	Weight per Carton (Kgs.) (Swivel Base)
100	4	100	120	100 x 10 x 18	65	2	18	20
125	5	125	160	125 x 12 x 23	80	1	14	15
150	6	150	200	150 x 12 x 23	85	1	17	19





GRIPWELL
FORGINGS & TOOLS
Tools for Home & Industry - Worldwide





ESTD. 1948 75

502 Model A1, All Steel Heavy Duty Bench Vice


Salient Features

- Steel Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel,
- Interchangeable & Replaceable Jaws
- Each Vice adaptable from Fixed Base to Swivel Base
- Swivel Base Kit supplied separately
- Precision ground slide-ways for smooth operation
- Robust design and construction
- Conforms to (DIN) PA 80-3.5.2/03.07



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.) (Fixed Base)	Weight per Carton (Kgs.) (Swivel Base)
100	4	100	110	100 x 12 x 20	50	2	17	18
125	5	125	135	125 x 12 x 23	60	1	14	15
150	6	150	165	150 x 12 x 23	70	1	20	21







507 Model GF, Spheroidal Graphite (SG) Iron Bench Vice, Swivel Base, with Pipe Jaws

Salient Features

- Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws
- Robust design and construction
- Conforms to (DIN) PA 80-3.5.2/03.07


Note: While the inherent toughness, durability and advantages of a Steel Vice over a Gray Cast Iron Vice are well known, Spheroidal / Nodular Graphite (SG) Iron, too, is stronger, more durable and has distinct advantages over Gray Cast Iron in that it has a

- Higher Tensile strength
- High ductility and toughness
- High resistance to wear & tear and corrosion



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.) (Fixed Base)	Weight per Carton (Kgs.) (Swivel Base)
100	4	100	115	100 x 10 x 18	60	2	17	18
125	5	125	135	125 x 12 x 23	70	1	13	14
150	6	150	165	150 x 12 x 23	80	1	18	20
180	7	180	210	180 x 12 x 23	134	1	24	27







111 'SHEPPARD' Steel Vice, Swivel Base

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	175	60	1	10
150	6	150	210	90	1	18
200	8	200	250	115	1	35



107 'SHEPPARD' Steel Vice, Fixed Base

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	175	60	1	9
150	6	150	210	95	1	18
200	8	200	250	120	1	32



189 Offset Steel Vice

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Angle of Offset (degrees)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	135	80	35	1	10
150	6	150	180	100	35	1	19
200	8	200	280	125	35	1	34



103 Heavy Duty Bench Vice, Swivel Base

Salient Features

- Class-30 Graded Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	150	70	1	16
125	5	125	170	85	1	23
150	6	150	200	90	1	30





508 Multi Purpose, Swivelling & Tilting Bench Vice

Salient Features

- Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws
- 360° Body Rotation
- With Pipe Holding Jaws




Note: While the inherent toughness, durability and advantages of a Steel Vice over a Gray Cast Iron Vice are well known, Spheroidal / Nodular Graphite (SG) Iron, too, is stronger, more durable and has distinct advantages over Gray Cast Iron in that it has a

- Higher Tensile strength
- High ductility and toughness
- High resistance to wear & tear and corrosion



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	110	115	110 x 13 x 23	70	1	17
125	5	135	135	135 x 13 x 23	85	1	20
150	6	160	145	160 x 13 x 23	90	1	24






190 'SUMO' Steel Vice, Swivel Base

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	140	70	2	18
125	5	125	150	85	1	13
150	6	150	150	120	1	17



110P Steel Bench Vice, Swivel Base (Premium)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	95	70	4	18
100	4	100	115	80	2	12
125	5	125	130	90	2	16
150	6	150	150	100	1	13
200	8	200	210	120	1	24



109P Steel Bench Vice, Fixed Base (Premium)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	90	70	4	19
100	4	100	120	80	2	13
125	5	125	140	90	2	20
150	6	150	150	100	2	13
200	8	200	200	120	1	24




101LA Bench Vice, Large Anvil, Swivel Base (Premium)

Salient Features

- Cast Iron or Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws


Note: While the inherent toughness, durability and advantages of a Steel Vice over a Gray Cast Iron Vice are well known, Spheroidal / Nodular Graphite (SG) Iron, too, is stronger, more durable and has distinct advantages over Gray Cast Iron in that it has a

- Higher Tensile strength
- High ductility and toughness
- High resistance to wear & tear and corrosion



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	110	100 x 12 x 20	53	2	17
125	5	125	135	125 x 12 x 20	57	1	11
150	6	150	160	150 x 12 x 20	73	1	16
200	8	200	220	200 x 12 x 23	95	1	27






102LA Bench Vice, Large Anvil, Fixed Base (Premium)

Salient Features

- Cast Iron or Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws


Note: While the inherent toughness, durability and advantages of a Steel Vice over a Gray Cast Iron Vice are well known, Spheroidal / Nodular Graphite (SG) Iron, too, is stronger, more durable and has distinct advantages over Gray Cast Iron in that it has a

- Higher Tensile strength
- High ductility and toughness
- High resistance to wear & tear and corrosion



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Jaw Dimension (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	110	100 x 12 x 20	53	2	15
125	5	125	135	125 x 12 x 20	57	1	10
150	6	150	160	150 x 12 x 20	73	1	14
200	8	200	220	200 x 12 x 23	95	1	26






101P Bench Vice, Swivel Base (Premium)

Salient Features

- Cast Iron or Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	80	50	2	12
100	4	100	120	65	2	18
125	5	125	140	80	1	15
150	6	150	165	85	1	16
200	8	200	200	100	1	35



102P Bench Vice, Fixed Base (Premium)

Salient Features

- Cast Iron or Spheroidal Graphite (SG) Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws




Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
65	2.1/2	65	65	50	6	18
80	3	80	80	50	4	18
100	4	100	120	65	2	16
125	5	125	140	80	1	11
150	6	150	165	85	1	14
200	8	200	200	100	1	32
250	10	250	275	225	1	44
300	12	300	325	260	1	58

187 Cylindrical Bench Vice

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws




Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
65	2.1/2	65	70	50	4	13
80	3	75	90	60	2	13
100	4	100	105	75	2	20
125	5	125	130	85	1	13

112 Wood Working Vice

Salient features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle




Specifications

Size (mm)	Size (inches)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
150	6	4	13
175	7	4	14
200	8	4	16
225	9	2	13
250	10	2	15

105 Pipe Vice

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications

Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Capacity of Tubular Clamping (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
50	2	60	43 x 25 x 13	40	6	16
75	3	90	53 x 40 x 13	60	2	12
100	4	130	56 x 50 x 13	80	1	11



114 Drill Machine Vice

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Height of Jaw (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	110	100 x 7.5 x 30	38	4	13



510 DIY Bench Vice Clamp Type, Swivel Base

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Height of Jaw (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
90	3.1/2	80	90 x 9.5 x 17	60	4	21



101S Bench Vice, Swivel Base (Standard)

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications



Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	70	40	4	18
100	4	100	110	50	2	12
125	5	125	135	60	2	18
150	6	150	165	75	2	23
200	8	200	200	100	1	19



102S Bench Vice, Fixed Base (Standard)

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	70	40	4	17
100	4	100	105	55	4	22
125	5	125	125	60	2	18
150	6	150	180	65	2	21
200	8	200	195	100	1	22



110DIY Steel Bench Vice, Swivel Base (DIY)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	95	70	4	17
100	4	100	115	80	4	21
125	5	125	130	90	2	13
150	6	150	150	100	2	20
200	8	200	210	120	1	15



109DIY Steel Bench Vice, Fixed Base (DIY)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Height of Jaw (H) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
80	3	80	90	70	4	17
100	4	100	120	80	4	20
125	5	125	140	90	2	14
150	6	150	150	100	2	20
200	8	200	200	120	1	15



106 Baby (Table) Vice

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
40	1.1/2	40	20	20	9
50	2	50	25	20	16
60	2.1/2	60	30	16	15
70	2.3/4	70	35	12	14
90	3.1/2	90	45	16	22



148 Baby (Table) Vice, Swivel Base

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
40	1.1/2	40	20	20	18
50	2	50	25	16	18
60	2.1/2	60	30	12	17
70	2.3/4	70	35	16	21



504 Baby (Table) Bench Vice, Swivel Base

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
50	2	50	25	20	20
60	2.5	60	30	16	16
70	3	70	35	16	22



196 Baby (Table) Vice (3-Pin Type)

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle



Specifications

Size (mm)	Size (inches)	Length of Jaw (L) (mm)	Opening of Jaw (O) (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
40	1.1/2	40	40	20	16
50	2	50	60	16	18
60	2.1/2	60	60	20	20
70	2.3/4	70	85	12	17
90	3.1/2	90	95	6	16



148HD Table (Clamp) Vice with Anvil, Swivel Base

Salient Features

- Cast Iron Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications


Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Height of Jaw (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
60	2.1/2	50	60 x 18.5 x 5	35	6	18



109DIY-E Steel Vice, Fixed Base, Half Anvil (Economy)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws




Specifications

Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Height of Jaw (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	110	50	4	14

110DIY-E Steel Vice, Swivel Base, Half Anvil (Economy)

Salient Features

- All Steel Fabricated Body
- Chrome Plated Steel Spindle & Handle
- Hardened & Tempered C38 Carbon Steel Jaws



Specifications

Size (mm)	Size (inches)	Opening of Jaw (mm)	Jaw Dimension (mm)	Height of Jaw (mm)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)
100	4	100	110	50	4	16

183 Anvil (Single Horn)

Available in Gray Cast Iron or Steel Casting



Specifications

Size (Kgs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)	Packing per Pallet (Pcs.)	Weight per Pallet (Kgs.)
5	4	21		
10	2	21		
20	1	21		
30	1	31		
60			5	330
90			3	300
100			3	340

184 Anvil (Double Horn)

Available in Gray Cast Iron or Steel Casting



Specifications

Size (Kgs.)	Packing per Carton (Pcs.)	Weight per Carton (Kgs.)	Packing per Pallet (Pcs.)	Weight per Pallet (Kgs.)
5	4	21		
10	2	21		
20	1	21		
30	1	31		
60			5	330
90			3	300
100			3	340